

We promise you're going to have a great experience.










Wall Mount Rack Door



Installation Instructions
Kit P/N: 105-2670

Kit Contents

- (1) Door
- (2) Door Hinge

Handle Hardware:


- (1) Handle
- (1) Edge Grommet
- (3) #8-32 Brass Nut
- (9) #8 Flat washer

Assembly Hardware:


- (2) Hinge Pin
- (2) Plastic Washers
- (2) 10-32 x .312 Flat Head Screws
- (2) 10-32 x .500 Flat Head Screws
- (2) 10-32 Nylon Lock Nuts

Installation Instructions

Step 1. Screw Removal: Remove the Flat Head Screws from the door hinge side.





Step 2. <u>Attach Door Bracket:</u> Attach Door Bracket onto Rack using the Screws removed in Step 1. Install the additional Flat Head Screws, securing it with the Nylock Nuts on the opposite.




Installation Instructions

Step 3. <u>Install Handle:</u> Insert Handle into slot as shown below. Install using #8 Flat Washers and #8 Brass Nut as shown below.






Step 4. <u>Install Grommet:</u> Install the supplied edge grommet as shown below.




Step 5. <u>Install Hinge:</u> Install Pin hinge to bottom of door using included 10-32 flat head screws.




Installation Instructions

Step 6. <u>Install Door:</u> Insert pin hinge into bottom of door bracket with plastic washer.



Step 7. <u>Install Door:</u> Align top hole and top pin hinge and install using included 10-32 flat head screws.





We promise you're going to have a great experience.









Warranty Statement

Innovation First, Inc. warrants our products against defects in material and workmanship for a period of one (1) year from the date of purchase. Innovation First, Inc. liability shall be limited to repairing or replacing, at our option, any defective product.

2670