

We promise you're going to have a great experience.










Patent(s) Pending

Adjustable Fixed Rails for 19" 2Post Racks



Installation Instructions
Kit P/N: BRK-HP-2PC-001

Kit Contents

Components:

- (1) Front Left Fixed Rail
- (1) Front Right Fixed Rail
- (1) Rear Left Fixed Rail
- (1) Rear Right Fixed Rail
- (1) Rear Bracket Left
- (1) Rear Bracket Right
- (1) Cable Crossbar

Assembly Hardware Kit:

- 8) 10-32 Pan Head Screws
- (8) 12-24 Pan Head Screws
- (8) 8-32 Pan Head Screws
- (8) 8-32 Nuts


Rack Hole Type	Hardware Used
Threaded	Use the Appropriate Screw: (larger) 12-24 or (smaller) 10-32

Model	Max Weight	Max Equipment Width	Min Equipment Width
BRK-HP-2PC-001	45	17 21/32"	N/A


Rack Type	Compatibility
2POST Racks	3" - 6.5" Racks

Installation Instructions

Step 1. Front and Rear Rack Attachment: Attach the front and rear of each Fixed Rail to the rack using hardware from the Assembly Hardware Kit. Attach the Rear Brackets to each Rear Fixed Rail using (4) 8-32 Pan Head Screws and (4) 8-32 Nuts. Always install the (4) screws and nuts as widely spaced as possible.



Step 2. Cable Crossbar Attachment: Attach the Cable Crossbar to the rack using hardware from the Assembly Hardware Kit (see Page 2).





We promise you're going to have a great experience.









Warranty Statement

Innovation First, Inc. warrants our products against defects in material and workmanship for a period of one (1) year from the date of purchase. Innovation First, Inc. liability shall be limited to repairing or replacing, at our option, any defective product.

714